## encore pharmacy

## **HIV ENROLLMENT FORM**

Fax to: 512-490-6515

## DATE:\_\_\_ DATE NEEDED: SHIP TO: □ PATIENT □ OFFICE

PHARMACY LOCATION

Phone: 512-381-1708 Toll Free: 855-241-6658 11209 Metric Blvd., Suite B4 Austin, TX 78758

	NAME		E-MAIL					DOB			□MALE	□FI	EMALE	
PATIENT INFO	ADDRESS_						CITY_	CITY		STATE	ZIP			
ENT OE	HOME TELEPHONE MOBILE PHON					PHON	E			SS#				
	Emergency Contact:								Emergency Contact Phone ()					
<u> </u>	Preferred M	ethod of Contact	Phone Email Height:	Email Height: Weight			lbs. Alle	rgies:						
	Current Medications: (attach additional pages if necessary)									Date				
			PRESCRIPTION BENEFIT	S INFO	RMATIO	N (Ple	ase Attach fro	ont and b	ack of insurance ca	ard)				
Pla	n Name:		ID #	Group#:					RxBIN:RxPCN:					
Date of Diagnosis			CD4 Count Date of Lab					New to Treatment? □Y □N If No Prior HIV Treatment:						
Diagnosis (ICD-10 Code):			HIV RNA Date of Lab					Dates: Drug Name Reason for Discontinuation						
_	B20 HIV Dise Z20.6 Contac		Has patient been tested for:					Reason for Discontinuation						
_	(suspected) e	exposure to HIV	☐ Hepatitis C? ☐ Y ☐ N If Yes, ☐ Positive ☐ N					gative Reason for Discontinuation						
	Other:		☐ Hepatitis B? ☐ Y ☐ N If Yes, ☐ Positive ☐			e 🔲	legative	Reason for	Discontinuation	1				
PRESCRIPTION INFORMATION  MEDICATION DOSE/STRENGTH DIRECTIONS/SIG* QTY REFILLS MEDICATION DOSE/STRENGTH										DIRECTIONS/SIG*		QTY	REFILLS	
		N ANTIRETROVIE	RALS				NRTIs	wisitahina)	200m s	Take 1 cancula OD				
	ktarvy®	□30/120/15 mg	Take 1 tablet QD				☐ Emtriva® (Emt		200mg □ 10mg/mL	Take 1 capsule QD Givemg ormL QD		$\dashv$		
	mduo® benuva	300/300 mg ☐ 600/900 mg	Take 1 tablet QD □				□ Epivir® (Lami		□ 150mg □ 300mg		$\rightarrow$	=		
Injecta	able Suspension	□ 400/600 mg					☐ Epivir® Oral So (Lamivudine)		□ 10mg/mL	Givemg ormL QD				
	mbivir® dine/Zidovudine)	150/300 mg	Take 1 tablet BID				☐ Retrovir (Zido		10 mg/mL ☐ 150mg ☐ 200mg	Give mg or mL BID Take mg QD	$\rightarrow$	$\dashv$	<u> </u>	
	mplera™ escovy®	200/25/300 mg	Take 1 tablet QD with food Take 1 tablet OD				Disopro	xil Fumarate)	□ 250mg □ 300mg	Tunemg QD	$\rightarrow$			
	,	□ 200/25 mg □ 120/15 mg					☐ Ziagen® (Abac ☐ Zidovudine	avir)	□ 300mg □ 100mg □ 300mg	☐ Take 1 tablet QD	$\rightarrow$	$\dashv$		
	elstrigo™ ovato	100/300/300 mg 50/300 mg	Take 1 tablet QD Take 1 tablet QD							☐ Take capsule QD				
	virenz/ itabine/Tenofovir	600/200/300mg	Take 1 tablet QD on an empty stomach				NNRTIs □ Edurant®		□25mg	Take 1 tablet QD with food				
□Fn	zicom®	600/300 mg	Take 1 tablet QD				☐ Intelence® (E	travirine)	□25mg □100mg	Take tablet(s) BID				
	vir/Lamivudine) otaz™	300/150 mg	Take 1 tablet QD with food				☐ Pifeltro™ ☐ Sustiva® (Efav	irona)	100mg □50mg □200mg	Take 1 tablet QD with or witho	ut food	$\dashv$		
□Ge	envoya®	150/150/200/10 mg	Take 1 tablet QD with food					ireliz)	□600mg					
Ju	luca lefsey®	50/25 mg 200/25/25 mg	Take 1 tablet QD with food Take 1 tablet QD with food				_ Nevirapine		☐ 200mg ☐ ER400mg ☐ 50mg/5mL					
□Pr	Prezcobix™ 800/150 mg T		Take 1 tablet QD with food			Pharmacokinetic Bo								
			Take 1 tablet QD with food Take 1 tablet HS on an empty stomach				Tybost® PROTEASE INHII		150mg	Take 1 tablet QD		_		
	☐ Symfi Lo™ 400/300/300 mg		Take 1 tablet HS on an empty stomach		Aptivus®		NHIBITO	250mg	Take 2 tablets BID	$\overline{}$				
	nofovir	600/200/300mg	Take 1 tablet QD on an empty stomach				□ Kaletra®		□ 100mg/25mg			$\neg$		
	umeq® umeq PD	600/50/300 mg 60/50/30 mg	Take 1 tablet QD  Disperse tablets for oral suspension	in 20ml			(Lopinavir — Rito	navir)	□ 200mg/50mg □ 80-20mg/ML					
□Tri	zivir	300/150/300 mg	of drinking water and give QD Take 1 tablet BID				☐ Lexiva® (Fosamprenavir (	alcium)	700 mg					
	ıvada®	□ 100/150 mg	☐ Take 1 tablet QD			□ Norvir® (Rito		, ,	100mg Tablet		-+	$\dashv$		
		☐ 133/200 mg ☐ 167/250 mg	☐ Take 2 tablets 2 — 24 hours before in followed by 1 tablet 24 hours after the i	nitial '			☐ Prezista®		☐ 100mg Powder		$\longrightarrow$	$\dashv$		
		□ 200/300 mg	two-tablet dose, followed by 1 tablet 4 after the initial two-tablet dose	8 hours			L TTCZISta		□ 75mg □ 150mg □ 600mg □ 800mg					
	GRASE IN entress®	HIBITORS □25mg □100mg	Chew tablets BID				☐ Reyataz®		□ 100mg/mL □ 150mg □ 200mg		+	$\dashv$		
Che	ewable						(Atazanavir) FUSION/ENT		□300mg					
	entress® entress® HD	400mg 600mg	Take 1 tablet BID Take 2 tablets QD				☐ Fuzeon®	IVI IIVIIIE	90mg vial					
□Tiv	/icay®	□10mg □25mg □50mg	☐ Take 1 tablet QD ☐ Take 1 tablet BID				☐ Selzentry® (M	araviroc)	☐ 150mg ☐ 300mg ☐ 20mg/mL					
□Tiv	ricay PD®	☐ 5mg	☐ Take tablets QD ☐ Disperse tablets for oral suspens	ion in			OTHER		□ ZUIIIg/IIIL					
			mL of drinking water and give Q	D							$\perp$			
				Р	RESCRI	BERT	INFORMATIO	N						
_	Prescriber's Name:								Contact Person:					
ER ON	Telephone: Fax:							C F	Email:					
RIB	Telephone: Fax: Office Address:						C	City:State:Zip:			:			
ESC	NPI # : License # : TAX ID # :						#:		Medicaid	Provider # :	·			
PRESCRIBER INFORMATION				*										
PRESCRIBER'S SIGNATURE (DATE) "IF BRAND DRUGS ARE PREFERRED, HANDWRITE <b>BRAND MEDICALLY NECESSARY</b> ABO										BOVE ©Encore, L	P All rial	hts Reserved		